CEMENT CORPORATION OF INDIA LIMITED
(A Government of India Enterprise)

AN ISO 9001:2015 CERTIFIED COMPANY
TANDUR CEMENT FACTORY
PO: CCI-TANDUR - 501 158,
VIKARABAD Dist, (Telangana State)

Phone No.: 08411-247221
Fax : 08411-247243
GSTIN No: 36AAACC0949B1Z5
CIN: U74899DL1965GOI004322
ECC No: AAA CC 0949 BXM 006
mm tdo@cciltd.in, ccimm tdo@rediffmail.com

Ref: TCF/MM/4009/21/**120** Date: 08.03.2022

Sub:-Limited Tender for Supply of Push Button Box – Reg.

-:000:-

Interested parties may send your offer by POST in sealed covers containing two separate covers inside i) Credentials & Supporting documents and (ii) Commercial cum Price bid which should reach us before due date. If, the credentials are found suitable, the Techno-commercial bid shall be opened. The decision of the Corporation is final.

HOD (MM)

CEMENT CORPORATION OF INDIA LIMITED (A Government of India Enterprise)
AN ISO 9001:2015 CERTIFIED COMPANY
TANDUR CEMENT FACTORY

PO: CCI-TANDUR - 501 158 VIKARABAD Dist, (Telangana State) Fax : 08411-247243
GSTIN No.: 36AAACC0949B1Z5
CIN: U74899DL1965GOI004322
ECC No.: AAA CC 0949 BXM 006
mm tdo@cciltd.in, ccimm tdo@rediffmail.com

SPEED POST

Phone No.: 08411-247221

Dear Sir(s),

Sub: - Our Enquiry No. TCF/MM/4009/21/**120**, Dt.12.07.2021, Due on 03.08.2021

-: 000 :-

Your quotation against our above enquiry for the following items has not been received by us.

SI.No.	Description of Item	Quantity
01)	PUSH BUTTON BOX for Wagon loading machine with wiring & X-4 Junction Box, (As per enclosed Technical Specifications, Drawings, wiring diagrams etc)	05 Nos.
02)	PUSH BUTTON BOX for Wagon loading machine with wiring & X-5 Junction Box, (As per enclosed Technical Specifications, Drawings, wiring diagrams etc)	05 Nos.

As a special case we are hereby extending the due date up to **29.03.2022**. You are requested to kindly send your quotation now, so as to reach us on or before the due date and time extended as above.

Thanking You,

Yours faithfully, for CEMENT CORPORATION OF INDIA LIMITED,

AUTHORISED SIGNATORY

/ANNEXURE-I/

TECHNICAL SPECIFICATIONS OF PUSH BUTTON BOX FOR WAGON LOADING MACHINES

- 01) Push button boxes must be made of 2mm thick GI Sheet, Protection Class: 1P55 with dimensions mentioned in the enclosed Drawing.
- 02) Push buttons from S^ to 5-21 on the box must be of single NO (Normally Open) contact and S-4, S-5, S-22 and S-23 NC (Normally Close) with size of 22mm diameter to match with existing equipment.
- 03) Wiring has to be done as per the enclosed drawing with appropriate lugging
- 04) Printed Paroles/tags have to be mentioned on every cable as per enclosed drawing.
- 05) Front door of the box must be provided with Open/Close access for maintenance
- 06) Beneath every button, Lamp Legends/Tags must be given as per the drawing on front side, labels and ferrule legends beneath buttons, cables on the back side of the door.
- 07) Indication lamps H1, H2 must be of Red color with IP55 enclosure of 110V rated
- 08) Push button boxes, Push buttons must be of dust proof enclosures of Schneider/Telemac/C&S Siemens/L&T confirming to IP55.
- 09) All equipment (Push buttons, Lamp, Wiring) insulation level must be rated 110V
- 10) If any further information may be assumed from the drawings or may be contacted to user department.
- 11) Stop buttons must be kept Red color & start buttons in Green color