CEMENT CORPORATION OF INDIA LIMITED

(A Government of India Enterprise)

AN ISO 9001:2015 CERTIFIED COMPANY

TANDUR CEMENT FACTORY PO: CCI-TANDUR - 501 158, VIKARABAD Dist, (Telangana State)

mm tdo@cciltd.in, ccimm tdo@rediffmail.com

Phone No.: 08411-247221

Fax No. : 08411-247243

GSTIN No.: 36AAACC0949B1Z5 CIN: U74899DL1965GOI004322

ECC No.: AAA CC 0949 BXM 006

Ref: TCF/MM/4002/22/**119 (R)** Date: 03.09.2022

Sub:-Limited Tender for Supply of Electric Moto Vibrator - Reg.

-:oOo:-

Interested parties may send your offer by POST in sealed covers containing two separate covers inside i) Credentials & Supporting documents and (ii) Commercial cum Price bid which should reach us before due date. If, the credentials are found suitable, the Techno-commercial bid shall be opened. The decision of the Corporation is final.

HOD (MM)

CEMENT CORPORATION OF INDIA LIMITED

(A Government of India Enterprise)

AN ISO 9001:2015 CERTIFIED COMPANY

TANDUR CEMENT FACTORY
PO: CCI-TANDUR - 501 158,

VIKARABAD Dist, (Telangana State)

Phone No.: 08411-247221

Fax No. : 08411-247243 GSTIN No.: 36AAACC0949B1Z5 CIN: U74899DL1965GOI004322

ECC No.: AAA CC 0949 BXM 006 mm tdo@cciltd.in, ccimm tdo@rediffmail.com

SPEED POST

Dear Sir(s),

Sub:-Our Enquiry No. TCF/MM/4002/22/**119 (R)**, Dt.27.07.2022, Due on 16.08.2022

-: 000 :-

Your quotation against our above enquiry for the following items has not been received by us.

SI.No.	Description	Quantity	Unit Rate	Amount
	MAKE: OLI/WISAM GROUP			
01)	MVE Series Electric Moto Vibrator, MVE: 300/3, Force: 3 KN, Working Moment: 6.39 Kgcm, Centrifugal force: 321 Kg, 220-240(Δ)/380-415 V(λ) Input Power: 0.25 KW, Current: Δ 0.9 λ 0.52 Power Factor: 0.69, Weight: 9.8 Kg. (Details are as per enclosed Technical Data Sheet)	06 Nos.		
	NOTE:			
	The Unit rate shall include all the elements like Basic Rate, Freight & any other charges, excluding GST			

As a special case we are hereby extending the due date up to **20.09.2022.** You are requested to kindly send your quotation now, so as to reach us on or before the due date and time extended as above.

Thanking You,

Yours faithfully, for CEMENT CORPORATION OF INDIA LIMITED,


AUTHORISED SIGNATORY



MVE 300/3E-30A0 [EE20030030A0JA0000]

3 PH - 2 poles - 3000 RPM - 220-240/380-415 V - 50 Hz

Working moment (Kg*cm)	Unbalance (Kg*cm)	Centrifugal force (Kg)	Nominal voltage (V)	Input power (kW)	Current (A)	Power Factor	la/In
6,39	3,2	321	220-240/380-415	0,25	Δ 0,9 Y 0,52	0,69	3,8



	OVERALL DIMENSIONS (mm)															
Weight (Kg)	A	A1	В	B1	G	G1	Holes number	С	D	E	F	н	1	L	М	N
9,8	80-90	124-135	110-125	110-115	11	13	4	254	150	173	15	79	150	166	42	134

			TECHNICAL FEATURES			
Type of grease	Greased for life	Screw	Washer	Clamping torque (Nm)	Cable type	Cable gland
1	Yes	M10-M12	10,5 x 20 - 13 x 24 mm	45-80	4G2.5 80°C	M20 80°C

		BEARINGS		
Bearing model	Туре	Life 100%	Life 80%	Life 50%
630427	undefined	3072	6000	24574

CERTIFICATION

ATEX II2 D Ex tb IIIC T135°C Db IP66

IECEx Ex to IIIC T135°C Db IP66

CLASS II DIV.2 GROUP F,G T4

Ex to IIIC Tx Db IP66

CONF.TO UL1004-3, UL1004-1,UL 60079-0,UL60079-31

CERT. CSA C22.2 No.100,CSA C22.2 No.77, CSA C22.2N.60079-0,CSA C22.2N.

60079-31

T.Amb -20/+40°C









