CEMENT CORPORATION OF INDIA LIMITED (A Government of India Enterprise) **AN ISO 9001:2015 CERTIFIED COMPANY** TANDUR CEMENT FACTORY PO: CCI-TANDUR - 501 158, VIKARABAD Dist, (Telangana State)

Phone No.: 08411-247221 Fax No. : 08411-247243 GSTIN No.: 36AAACC0949B1Z5 CIN: U74899DL1965GOI004322 ECC No.: AAA CC 0949 BXM 006 <u>mm tdo@cciltd.in</u>, <u>ccimm tdo@rediffmail.com</u>

Ref: TCF/MM/3012/22/77

Date: 06.09.2022

Sub:-Limited Tender for Supply of Gear Pump for Classifier – Reg.

-:000:-

Interested parties may send your offer by POST in sealed covers containing two separate covers inside i) Credentials & Supporting documents and (ii) Commercial cum Price bid which should reach us before due date. If, the credentials are found suitable, the Techno-commercial bid shall be opened. The decision of the Corporation is final.

HOD (MM)

CEMENT CORPORATION OF INDIA LIMITED (A Government of India Enterprise) AN ISO 9001:2015 CERTIFIED COMPANY TANDUR CEMENT FACTORY PO: CCI-TANDUR - 501 158,

Phone No.: 08411-247221 Fax No. : 08411-247243 GSTIN No.: 36AAACC0949B1Z5 CIN: U74899DL1965GOI004322 ECC No.: AAA CC 0949 BXM 006 VIKARABAD Dist, (Telangana State) <u>mm_tdo@cciltd.in</u>, <u>ccimm_tdo@rediffmail.com</u> SPEED POST

Ref: TCF/MM/3012/22/77 <u>REMINDER – II</u>

DATE: 06.09.2022

Dear Sir(s),

Sub:-Our Enquiry No. TCF/MM/3012/22/77, Dt.21.06.2022, Due on 12.07.22 & 16.08.22

-: 000 :-

Your quotation against our above enquiry for the following items has not been received by us.

SI.No.	Description	Quantity	Unit Rate	Amount
01)	GEAR PUMP FOR CLASSIFIER (LKS 75), Gear Box lubrication Equivalent to Make: RICKMEIER- GmbH, W.Germany, Type: 3/20 M-0, Nr – E0531, Q – 21.81 l/min. N – 1410, P – 5 bar Direction of Rotation: Anti Clock wise from Motor side	01 No.		
	(As per Sketch & Data Sheet which was already sent along with original enquiry)			
	Make: <u>Indigenous gear pump manufacturers like</u> <u>Oil Vocal/Hydac/Sperry Vickers/Veljan Hydrair/Fluid</u> <u>Power Systems</u>			
	NOTE:			
	The Unit rate shall include all the elements like Basic Rate, Freight & any other charges, excluding GST			

As a special case we are hereby extending the due date up to **27.09.2022.** You are requested to kindly send your quotation now, so as to reach us on or before the due date and time extended as above.


Thanking You,

Yours faithfully, for CEMENT CORPORATION OF INDIA LIMITED, - to fosep

AUTHORISED SIGNATORY

	Ten al university (Manager) and an	R3/20 M088-Z-W-G1-R
ear pump		leaflet P3
cc. to	ted	
omplete assembled and tes	i i i i i i i i i i i i i i i i i i i	female thread G1
uction connection	-	female thread G1
ressure connection		·
ump data:		mineral oil
umping medium		
luid temperature	in deg. C	max. 80
in. viscosity	in mm²/s	22
il flow approx.	in dm³/min .	21,8
nlet pressure	in bar	0 (-0,4+0,4)
outlet pressure	in bar	5
speed	in rpm	1410
sense of rotation (seen o	on shaft end)	CW
kind of shaft sealing		rubber radial shaft sealing
		without
pressure relief valve		
pump materials:		5.1301 (EN-GJL-250)
casing		1.7139 (16MnCrS5+FP)
gear shafts		FKM
year charge		FNM
elastomere		
And a second s		
elastomere		
elastomere further data		without .
elastomere further data coating		
elastomere further data coating base coating top coating		RAL 6011 (reseda green)
elastomere further data coating base coating top coating shade of colour		RAL 6011 (reseda green) PUR COLOR NEU
elastomere further data coating base coating top coating shade of colour Colour designation		RAL 6011 (reseda green) PUR COLOR NEU 2-component polyurethane paint
elastomere further data coating base coating top coating shade of colour	ess in µm	RAL 6011 (reseda green) PUR COLOR NEU
elastomere further data coating base coating top coating shade of colour Colour designation base of the colour Nominal dry film thickne		RAL 6011 (reseda green) PUR COLOR NEU 2-component polyurethane paint
elastomere further data coating base coating top coating shade of colour Colour designation base of the colour Nominal dry film thickne internal pump preservati	ion (pump)	RAL 6011 (reseda green) PUR COLOR NEU 2-component polyurethane paint 60
elastomere further data coating base coating top coating shade of colour Colour designation base of the colour Nominal dry film thickne	ion (pump)	RAL 6011 (reseda green) PUR COLOR NEU 2-component polyurethane paint 60 by test fluid
elastomere further data coating base coating top coating shade of colour Colour designation base of the colour Nominal dry film thickne internal pump preservati	ion (pump) pump in kg	RAL 6011 (reseda green) PUR COLOR NEU 2-component polyurethane paint 60 by test fluid

S



CAIACIT	2.2 Connie Innor
PRESSURE	5 Bar
SIZE	1"×1" BSP Th.
ROTATION	Anti Clock Wise

NOTE: All dimensions are in "mm" and may vary by ± 2 mm.

https://coiltd.in.2096/cpsess2368725369/3rdparty/roundcube/?_task=mail&_frame=1&_mbox=INBOX&_uid=8629&_part=3&_action=get&_extwin=1