



Bid Number/बोली क्रमांक (बिड संख्या):
GEM/2024/B/4860431
Dated/दिनांक : 13-04-2024

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	04-05-2024 18:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	04-05-2024 18:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	90 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Heavy Industries And Public Enterprises
Department Name/विभाग का नाम	Department Of Heavy Industry
Organisation Name/संगठन का नाम	Cement Corporation Of India Limited (cci)
Office Name/कार्यालय का नाम	Rajban Cement Factory
Total Quantity/कुल मात्रा	1
Item Category/मद केटेगरी	Blast Hole Drill 4.1/2" (105-115 mm) class (self contained/composite type 105-115 mm crawler drill w (Q3)
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	3 Year (s)
MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट	No
Startup Exemption for Years Of Experience/अनुभव के वर्षों से स्टार्टअप छूट/ and Turnover/ टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है	Yes
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Experience Criteria,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC),Additional Doc 4 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No
RCM Applicable/लागू आरसीएम	Yes
Type of Bid/बिड का प्रकार	Two Packet Bid
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days

Bid Details/बिड विवरण

Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation

EMD Detail/ईएमडी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
EMD Amount/ईएमडी राशि	140000

ePBG Detail/ईपीबीजी विवरण

Required/आवश्यकता	No
-------------------	----

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy./जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने है। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

Beneficiary/लाभार्थी :

account officer
Rajban Cement Factory, Cement Corporation of India Limited (CCI),
(Deepak Prakash)

Splitting/विभाजन

Bid splitting not applied/बोली विभाजन लागू नहीं किया गया.

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	Yes
--	-----

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and

"Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.

2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

3. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

4. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer)of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25%(selected by Buyer) percentage of total QUANTITY.The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

Section 9(3) Of GST/जीएसटी की धारा 9(3)|

Where ever RCM is applicable, sellers (Regular GST registered seller who opted out of FCM , unregistered seller, seller registered under composition scheme)will be forced to put Zero GST and GST cess in their bids. Buyer will have liability of paying the GST and GST cess to the government on the specified rate mentioned by them in this Bid.

Blast Hole Drill 4.1/2” (105-115 Mm) Class (self Contained/composite Type 105-115 Mm Crawler Drill W (1 set)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Buyer Specification Document/क्रेता विशिष्टि दस्तावेज़	Download
--	--------------------------

Input Tax Credit(ITC)/इनपुट कर क्रेडिट(आईटीसी) and/ तथा Reverse Charge(RCM)/रिवर्स प्रभार (आरसीएम) Details

ITC on GST/जीएसटी पर इनपुट कर क्रेडिट	ITC on GST Cess/जीएसटी उपकर कर क्रेडिट	RCM Applicable/लागू आरसीएम	GST as per RCM/रिवर्स प्रभार के अनुसार जीएसटी	GST Cess 1 as per RCM/रिवर्स प्रभार के अनुसार जीएसटी उपकर 1	GST Cess 2 as per RCM	Optional RCM/वैकल्पिक रिवर्स प्रभार
NA	NA	Yes	18%	NA	NA	No

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Neelesh Kumar Tripathi	173029,Cement Corporation of India Ltd., Rajban Cement Factory,Distt. Sirmour(H.P.)	1	120

Buyer added Bid Specific Additional Scope of Work

S.No.क्र.सं.	Document Title	Description	Applicable/रिवर्स प्रभार के अनुसार जीएसटी i.r.o. Items
1	Blast Hole Drill 4.1/2" (105-115 mm) class (self contained/composite type 105-115 mm crawler drill with onboard compressor approved by DGMS) View	Blast Hole Drill 4.1/2" (105-115 mm) class (self contained/composite type 105-115 mm crawler drill with onboard compressor approved by DGMS)	Blast Hole Drill 4.1/2" (105-115 Mm) Class (self Contained/composite Type 105-115 Mm Crawler Drill W(1)

The uploaded document only contains Buyer specific Additional Scope of Work and / or Drawings for the bid items added with due approval of Buyer's competent authority. Buyer has certified that these additional scope and drawings are generalized and would not lead to any restrictive bidding.

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें**1. Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

Offer is invited for the following as per details given below: -

NIT No.	Description	Quantity
RCF/MM/114(21)	Blast Hole Drill 4.1/2” (105-115 mm) class (se If contained/composite type 105-1 15 mm crawler drill with onboard c ompressor approved by DGMS)	01 Set

1. The tenders who fulfill the terms & conditions mentioned in the tender documents shall be considered.
2. The price- bid should be only as per CCI's price - bid format otherwise the tender is liable for rejection.
3. The tenderers are advised to offer their lowest rates taking into account the prevailing market conditions. There would generally be no negotiations hence please submit your most competitive prices while submitting the price bid. However, if the rate is still considered High, action as per prevailing instruction/guideline shall be taken.

List of Annexure

The tender documents comprise of following:-

Annexure-A	Part-III- Special terms & conditions
Annexure-B	Techno Commercial Bid
Available on website: www.ccilttd.in	General Term & conditions (GTC), Part I & II along with annexure 1 to 9 are available on website and have to attach with techno-commercial bid. Participants may download the GTC from our website in this sequence: 01. www.ccilttd.in 02. Tenders 03. At serial No. 05

)

ANNEXURE-A**PART-III SPECIAL TERM AND CONDITIONS**

In addition to the General Terms and Conditions (GTC) of tender under PART - I & II, the following terms and conditions shall also be applied with the contract. These special terms and conditions, if contradictory to any conditions given in PART - I & II, will prevail upon the conditions given there in PART III. Also, in case of doubt regarding description of work, its meaning /ambit etc., the interpretation of CCI will be final.

A) GENERAL:**1.0 SPECIFICATIONS:**

1.1 The specifications of the **Blast Hole Drill 4.1/2” (105-115 mm) class** (self contained/composite type 105-115 mm crawler drill with onboard compressor approved by DGMS) required are attached as per Annexure-D.

2.0 QUANTITY:

2.1 The quantity is clearly mentioned in Annexure-D

2.4 Non acceptance of indents by the supplier on any account fix quantity, delay in receipt of indent etc. will tantamount to breach of contract and supplier will be liable to pay penalty /liquidated damages as per decision of the Corporation based on the relevant paras of the terms of the contract.

3.0 DELIVERY:

3.1 The supply has to be made in Single manner

3.2 The Unit shall place their order and the supplier shall supply the material within the delivery period as specified in the Annexure-D and as per schedule stipulated in the order.

3.3 All terms and conditions stipulated in the tender will be applicable to such ad-hoc requirements also.

3.4 The completion of delivery shall be on the date of the receipt of material at CCI's factory site. It shall be the responsibility of the supplier to ensure that the material reaches CCI's unit as per the delivery schedule given.

4.0 PRICES:

4.1 The rates should be quoted in our prescribed Price bid Form as per Annexure-E

indicating separately price for **Blast Hole Drill 4.1/2” (105-115 mm) class (self contained/composite type 105-115 mm crawler drill with onboard compressor approved by DGMS)**

4.2 No incidental charges payable at dispatching station will be paid by the Corporation.

5.0 PAYMENT TERMS:

5.1 90% within 30 days from date of receipt & acceptance of materials at our site after adjustment of recoveries due, if any as per CCI's assessment and LD clause. 10% after successful operation of **Blast Hole Drill 4.1/2” (105-115 mm) class (self contained/composite type 105-115 mm crawler drill with onboard compressor approved by DGMS)** for 6 months of period.

5.2 All bank charges shall be borne by supplier.

5.3 **LD:** In the event of goods not delivered on or before the date of delivery mentioned in the order, a penalty @ ½% of the unexecuted order value per fortnight or part thereof shall be levied, subject to a maximum of 5%.

5.4 **SD:** Successful tenderer(s) shall have to furnish a security deposit equivalent to @5% (Five percent) value of the order by way of BG/FDR/demand draft in terms of clause 2 of Part-II of the tender documents towards satisfactory performance of the contract.

5.5 Payment shall be release after deduction of applicable taxes.

6.0 QUALITY:

6.1 The supplier will guarantee and confirm that the machine and compressor to be supplied would be as per technical specification as per annexure-D as specified in the order. Material shall be free from any defects arising out of use of defective materials or any manufacturing or any other defects.

6.2 The supplier shall furnish guaranty or warranty of drill machine and compressor.

7.0 ELIGIBILITY CRITERIA:

7.1 Only suppliers those have at least three years' experience of sale of **Blast Hole Drill 4.1/2” (105-115 mm) class (self contained/composite type 105-115 mm crawler drill with onboard compressor approved by DGMS)** and those accept our payment & delivery term shall be technically qualify for the further process of tender. Copies of supply of **Blast Hole Drill 4.1/2” (105-115 mm) class (self contained/composite type 105-115 mm crawler drill with onboard compressor approved by latest DGMS norms)** has to be submitted along with tender.

Annexure-D

CEMENT CORPORATION OF INDIA LIMITED

(A Govt. of India Enterprises)

TECHNICAL BID

Tender No. RCF /MM/114(21)/

Technical specification of Blast Hole Drill 4.1/2" (105-115 mm) class

Specification for the self contained/composite type 105-115 mm crawler drill with onboard compressor approved by DGMS.

- 1) Capacity:** Machine should be capable to drill hole of diameter of 105 mm to 115 mm, up to the depth of 15 meter (48 feet) with the help of standard rod fitment in the machine. (One starter rod of 10 feet + 03 rod in carousel of 12 feet each) No need to add more rods manually to get 48 feet deep hole.

- 2) Prime Movers:** Suitable water-cooled diesel engine of minimum 135 kW capacity or more & capable to take load of screw compressor, hydraulic system, dust suppression & air conditioners during continuous drilling operations. Looking to latest norms engine should be compatible to work on B10 Diesel also.

- 3) Air Compressor:** Suitable single stage screw type onboard compressor with minimum air delivery capacity of 11 m³/Minute at a minimum operating pressure of 14 bar should have oil cooling system and air/oil filtration system for better drilling rates.

- 4) Angle drilling & Coverage:** The machine should be capable of Angular Drilling System (Up & Down) from the Horizontal drilling position to cope up with the various development works in mines besides the provision for drilling in vertical & horizontal directions. Party should mention below values data as under.
 - a) Boom lift (up/down) -
 - b) Boom Swing (LH/RH) -
 - c) Guide Swing (LH/RH) -
 - d) Guide Extension -
 - e) Track Oscillation -

- 5) Propel System:** Crawler track of adequate size of minimum 300 shoe widths should be provided for better stability of drills. Hydraulic track drive should be fully integrated composite type with inbuilt hydraulic motor & automatic braking system with a minimum travel speed of 0 - 3 kmph.

- 6) Drill Guide/ feed System:** Machine should be fitted with heavy duty drill guide suitable for minimum 12 feet drill rods. Drill guide must have 1" roller chain along with hydraulically operated feed gear box with a minimum pull-up & pull-down capacity of 2000 KG-F. Efficient Fast, Micro & slow feed system should be provided on single lever for better drilling in all kind of strata.
- 7) Rod handling System:** Machine should have hydraulic operated Rod 'D' Coupling system for smooth rod opening without putting any spanners. This machine has rod carrier must have capable to carry 03 rods of 12 feet each in carousel to fulfill 48 feet of drilling requirement.
- 8) Dust suppression system:** Machine should have adequate effective wet dust suppression system with inbuilt water tank minimum capacity of 300 liters or more.
- 9) Hydraulic System -** Machine must be fitted with advance load sensing hydraulic system with axial piston pump/load sensing control valve system for power saving. Joystick control for smooth tramming of machine. Hydraulic tank capacity should be minimum 200 liters with 10-micron filtration system. All hydraulic components like pump, valves, and filters should be of reputed make Rexroth/Danfoss make only. (Please mention the all-component details in T Bid.)
- 10. Rotation System:** Heavy Duty Rotation gear box system should be provided with Equipment. Rotation rpm should be in range of 0- 90 with minimum output torque of 200 kg-M. Rotation gear box should be manufactured from special grade steel castings for the long life. Minimum two hydraulic motor on top should be fitted for higher torque.
- 11. Weight of machine:** Machine weight should be minimum of 8.50 ton or more with all Standard accessories.
- 12. Operator Cabin:** Suitably located preferably front view all weathered dust & noise Proof air-conditioned operation cabin (only mechanical air conditioner). All the control of machine for operation should be Within easy reach of the operator and tramming must be with joystick control for smooth Operation. Cabin should also be provided with fan for operator comfort, window wiper and fully adjustable Operator seat are the standard fitment of the drill. Reverse horn and Siren light with horn must fitted with this cabin
- 13. Ground clearance:** Machine should have minimum ground clearance of 400 mm Suitable to run in rough terrain & high gradient in mines.
- 14. Fuel tank capacity -** Minimum 200 liter or more.
- 15. Lubricator capacity -** Minimum 20 liter or more.
- 16. Water tank capacity for dust suppression -** Minimum 300 liters or more.

17. Automatic fire Detection & protection system: Reliable & efficient, Automatic fire detection & Protection system in line with DGMS requirements should be provided with drill.

18. Safety Requirement: The drill machine shall be equipped with all safety devices as Per DGMS latest circulars.

- a) Safety Belt for Operator.
- b) Fire Extinguisher inside cabin.
- c) Audio Visual reverse alarm with siren light.
- d) All Electrical connection should be as per IP67 Standards.
- e) Battery isolator should be provided for safety of equipment.
- f) Dust preventing system should be provided as per DGMS norms.
- g) Each Moving parts of drill should be guarded/fenced.
- h) Emergency push button to stop the engine should be provided inside the canopy near engine and at rear end of equipment in addition to operator's cabins.
- i) High air discharge temperature sensor activated cut-off-switch.
- j) Oil Stop valve in compressor lubrication line.
- k) Tower lock & lock check valve.
- l) All Joysticks should be spring loaded type (normally neutral) for Dead man safety.
- m) All the hoses/sleeves/conduct provided hot zone near drill should be fire resistance type.
- n) Propel lock (safety Interlocking between drilling & tramming) should be provided.
- o) Turbocharger guard
- p) Hard Nylon Hose protector for safety of all hoses.
- q) Parking brake should be effective & auto operative.
- r) Safety grills in front glass and top of cabin to protect operator.
- s) Inbuilt water injection system with pneumatic pump (As per approved by DGMS)

19. Lighting system: Adequate lighting system should be provided in the machine to Facilitate the operator and maintenance during dark hours, also details should be provided Along with technical bid.

20. Automatic Fire detection suppression system {AFDSS} : To be required (As per approved by DGMS)

21. Standard Accessories, tools & tackles: Machine should supply along with a set of standard accessories like

- a) DTH hammer 4.1/2" class - 02 Nos
- b) Button bits 4.1/2" class - 02 Nos
- c) Drill rod (starter rod of 10 feet) - 03 Nos
- d) Drill rod 12 feet long (in carousel/rod changer) -03 Nos.
- e) Standard Toolbox
- f) Hand grease Gun with grease bucket.
- g) Part & Instruction manual - 02 set should be provided along with machine.

Note – The offered machine should meet all latest DGMS mince safety features as per circular DGMS (Tech) Circular No.09 of 2008 Dhanbad dated 02.12.2008 & subsequently 2010 & the latest amendment DGMS circular no 06/2020 Dhanbad dated 27-02-2020 (All the below features are mandatory)

- 1.0 - Rear Vision Camera
- 2.0 - Warning system for operator fatigue.
- 3.0 - Automatic fire detection & suppressions system (AFDSS)
- 4.0 - Seat belt & seat belt reminder
- 5.0 - Automatic breakout wrench for drills. (It must be hydraulically cabin operated)
- 6.0 - propel joystick spring loaded type to return to neutral. (Dead man safety for the drill)

As per old DGMS Circular.

- 1) Air conditioner operator cabin is must with mechanical type A/C. please note that the Battery-operated air conditioner is not recommended for mining equipment's as it is only recommended for passenger vehicle where ambient temperature is low.

Quantity: 01 Set

Note: The delivery period is within 120 days. **L-1 shall be evaluated on the landed cost FOR (FOR Hill Top, Mines) basis.**

Contact person (Cement Corporation of India):

- | | |
|---|----------------|
| 1. Sr.Manager (MM) | 2. HOD (Mines) |
| 2. Landline: 01704-266227 | Mo. 7827989572 |
| Mobile: 07827989577 | |
| Email: ccimmrjo@rediffmail.com , | |

3. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.

2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---