

**Cement Corporation of India Limited**

Bokajan Cement Factory
Dist. KarbiAnglong (Assam)

A Bid has created on GeM with BID NO: GEM/2025/B/6055445, Dtd. 13.03.2025 for Procurement of Klubersynth OA98-15000 Lubricant for CCI-Bokajan through GeM. Detail of which is given below,

| Sl. No. | Item Description | Unit | Quantity Required |
|---------|--|------|-------------------|
| 1 | Klubersynth OA98-15000; Packing Size-180Kg; Use- For Coal mill Girth Gear and Pinion | Kg | 360 |

**Interested bidder may participate through GeM.
GeM bid is as below**

HOD (MM)

Address: -
Cement Corporation of India Ltd.,
Bokajan Cement Factory – 782 490,
Dist. KarbiAnglong, Assam.
Website: www.ccilttd.in



Bid Number/बोली क्रमांक (बिड संख्या):
GEM/2025/B/6055445
Dated/दिनांक : 13-03-2025

Bid Document/ बिड दस्तावेज़

| Bid Details/बिड विवरण | |
|--|---|
| Bid End Date/Time/बिड बंद होने की तारीख/समय | 03-04-2025 15:00:00 |
| Bid Opening Date/Time/बिड खुलने की तारीख/समय | 03-04-2025 15:30:00 |
| Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से) | 120 (Days) |
| Ministry/State Name/मंत्रालय/राज्य का नाम | Ministry Of Heavy Industries And Public Enterprises |
| Department Name/विभाग का नाम | Department Of Heavy Industry |
| Organisation Name/संगठन का नाम | Cement Corporation Of India Limited (cci) |
| Office Name/कार्यालय का नाम | Assam |
| क्रैता ईमेल/Buyer Email | buycon1.ccil.assam@gembuyer.in |
| Total Quantity/कुल मात्रा | 360 |
| Item Category/मद केटेगरी | Klubersynth OA98-15000 Lubricant |
| GeMARPTS में खोजी गई स्ट्रिंग / Searched Strings used in GeMARPTS | Klubersynth OA 98-15000 Lubricant |
| GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS | Category not available on GeM for the text string uploaded by the buyer |
| अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification | <ul style="list-style-type: none">• AntiSeize Lubricant (Defence)• Super Chain and Wire Lubricant• Turbine Lubricating Oil as per IS 1012 |
| Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष | 3 Year (s) |
| MSE Exemption for Years Of Experience/अनुभव के वर्षों से एमएसई छूट/ | Yes |
| Startup Exemption for Years Of Experience/अनुभव के वर्षों से स्टार्टअप छूट/ | Yes |
| Document required from seller/विक्रेता से मांगे गए दस्तावेज़ | Experience Criteria,Past Performance,Certificate (Requested in ATC),OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer |

| Bid Details/बिड विवरण | |
|---|-----------------------------|
| Do you want to show documents uploaded by bidders to all bidders participated in bid?/ | Yes |
| Past Performance/विगत प्रदर्शन | 70 % |
| Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया | No |
| Type of Bid/बिड का प्रकार | Two Packet Bid |
| Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय | 4 Days |
| Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM) | No |
| Evaluation Method/मूल्यांकन पद्धति | Total value wise evaluation |
| Arbitration Clause | No |
| Mediation Clause | No |

EMD Detail/ईएमडी विवरण

| | |
|-------------------|----|
| Required/आवश्यकता | No |
|-------------------|----|

ePBG Detail/ईपीबीजी विवरण

| | |
|-------------------|----|
| Required/आवश्यकता | No |
|-------------------|----|

MII Purchase Preference/एमआईआई खरीद वरीयता

| | |
|--|----|
| MII Purchase Preference/एमआईआई खरीद वरीयता | No |
|--|----|

MSE Purchase Preference/एमएसई खरीद वरीयता

| | |
|---|-----|
| MSE Purchase Preference/एमएसई खरीद वरीयता | Yes |
|---|-----|

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of

quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.

3. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

4. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

5. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 70% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Klubersynth OA98-15000 Lubricant (360 kilogram)

Technical Specifications/तकनीकी विशिष्टियाँ

| | |
|--|--------------------------|
| Buyer Specification Document/क्रेता विशिष्टि दस्तावेज़ | Download |
|--|--------------------------|

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|---|-----------------|------------------------------|
| 1 | Pankaj Kumar Singh | 782490,CEMENT CORPORATION OF INDIA LIMITED BOKAJAN CEMENT FACTORY | 360 | 45 |

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Scope of Supply

Scope of supply (Bid price to include all cost components) : Only supply of Goods

3. Service & Support

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

4. Service & Support

Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

5. Warranty

Warranty period of the supplied products shall be 1 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

6. Generic

Bidders shall quote only those products (Part of Service delivery) in the bid which are not obsolete in the market and has at least 1 years residual market life i.e. the offered product shall not be declared end-of-life by the OEM before this period.

7. Generic

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

8. Generic

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- a. Copy of PAN Card.
- b. Copy of GSTIN.
- c. Copy of Cancelled Cheque.
- d. Copy of EFT Mandate duly certified by Bank.

9. **Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

10. **Certificates**

To be eligible for award of contract, Bidder / OEM must possess following Certificates / Test Reports on the date of bid opening (to be uploaded with bid):

Authorized Dealership certificate

11. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

Detail technical specification of Item:-

Item- Klubersynth OA98-15000

| Sl. No | Item Details | Required quantity |
|---------------|--|--------------------------|
| 1 | Klubersynth OA98-15000; Packing Size-180Kg; Use- For Coal mill Girth Gear and Pinion | 360 Kg |

Note- Party should submit Authorized Dealership certificate along with offer

12. **Buyer Added Bid Specific ATC**

Buyer uploaded ATC document [Click here to view the file.](#)

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any

- Category item bunched with it.
4. Creating BoQ bid for single item.
 5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
 6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
 7. Floating / creation of work contracts as Custom Bids in Services.
 8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
 9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
 10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
 11. Creating bid for items from irrelevant categories.
 12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
 13. Reference of conditions published on any external site or reference to external documents/clauses.
 14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---



**CEMENT CORPORATION OF INDIA LTD.
BOKAJAN CEMENT FACTORY**

**M.M. Department
Date: 13.03.2025**

Detail technical specification of Item:-

Item- Klubersynth OA98-15000

| Sl. No. | Item Details | Required quantity |
|----------------|--|--------------------------|
| 1 | Klubersynth OA98-15000; Packing Size-180Kg; Use- For Coal mill Girth Gear and Pinion | 360 Kg |

Note- Party should submit Authorized Dealership certificate along with offer

Klübersynth OA 98-15000

Operational lubricant for large gear drives



Your benefits at a glance

- **Considerable cost savings through**
 - enhanced tooth flank life due to very good wear protection
 - high base oil viscosity and additional white solid lubricants for reduced scuffing and pitting
 - reduced consumption and disposal based on a more efficient lubricant demand
 - improved surface condition and protection of loaded tooth flanks as the fluid grease removes contamination more easily
- **Improved maintenance due to**
 - no settling in the drum and reduced nozzle clogging due to the integration of the solid lubricant in the base oil
 - easier inspection of the tooth flanks during operation due to the light-coloured solid lubricant
 - white solid lubricants make contact pattern visible
 - reduced tendency for leakage around the gear guard due to the adhesive nature of the product

Your requirements - our solution

Open gears are subjected to challenging operating conditions like vibrations, dusty environments, high varying loads and other operational parameters.

Therefore, reliable operation of the open gear drive and occupational safety have the highest priority for you as the person responsible.

Klübersynth OA 98-15000 offers you optimal support. This special lubricant based on the SLIBF concept (Solid Lubricant Integrated Base Fluid) was developed precisely to meet the high demands of open gear drives.

It provides excellent adhesion, good film formation, less splashing from the gears and reducing leakages from the gear casing. This results in better maintenance practices and increased safety. It also provides good pumpability at lower temperatures and offers low resistance to pumping the lubricant.

Klübersynth OA 98-15000 provides excellent wear protection under high loads and even under higher peripheral speeds.

Application

Klübersynth OA 98-15000 is especially developed as an operational lubricant of large open gear drives in rotary kilns, tube mills, dryers, lime kilns, rotary coolers, etc. used in the

cement, lime, gypsum, mining, steel, power, paper & pulp and chemical industries. Further applications are found in the sugar, marine and offshore sectors.

Application possibilities are not restricted by gear sizes or power ratings.

Application notes

Klübersynth OA 98-15000 can be applied by immersion, paddle wheel, circulation and automatic spray lubrication systems.

The lubricant film on the tooth flanks can be easily observed because of the light colour of the product.

Please do not hesitate to contact our technical consultants and sales departments to discuss grease miscibility, relubrication procedures, etc. If you wish to optimise the service life of your equipment or have any other questions regarding your application, our experts will be pleased to help you.

Material safety data sheets

Material safety data sheets can be requested via our website www.klueber.com. You may also obtain them through your contact person at Klüber Lubrication.

Pack sizes

Bucket 25 kg

Klübersynth OA 98-15000

+



Klübersynth OA 98-15000

Operational lubricant for large gear drives

| Product data | Klübersynth OA 98-15000 |
|--|-----------------------------------|
| Article number | 039222 |
| Application by immersion bath | 15 - 120 °C |
| Application in circulation lubrication systems | 15 - 80 °C |
| Application in automatic spray systems | 15 - 120 °C |
| Thermal stability of the lubricating film | <= 120 °C |
| Colour space | beige |
| Texture | homogeneous |
| Lincoln sprayability test | passed |
| NLGI grade, DIN 51818 | 00 |
| Density at 20 °C | approx. 0.93 g/cm ³ |
| Flash point, DIN EN ISO 2592, Cleveland, open-cup apparatus | >= 200 °C |
| Kinematic viscosity of the base oil, DIN 51562 pt. 01/ASTM D-445/ASTM D 7042, 40 °C | approx. 17 000 mm ² /s |
| Kinematic viscosity of the base oil, DIN 51562 pt. 01/ASTM D-445/ASTM D 7042, 100 °C | approx. 500 mm ² /s |
| Four-ball tester, wear factor, DIN 51350 pt. 05, 1 h/400 N, wear scar diameter | < 0.8 mm |
| Four-ball EP tester, welding load, DIN 51350 part 2 | >= 6 500 N |
| FZG scuffing test, DIN ISO 14635-3, A/2,8/50, change in weight | <= 0.2 mg/kWh |
| FZG scuffing test, DIN ISO 14635-3, A/2,8/50, scuffing load stage | >= 12 |
| Minimum shelf life from the date of manufacture - in a dry, frost-free place and in the unopened original container, approx. | 24 months |

Klüber Lubrication – your global specialist

Innovative tribological solutions are our passion. Through personal contact and consultation, we help our customers to be successful worldwide, in all industries and markets. With our ambitious technical concepts and experienced, competent staff we have been fulfilling increasingly demanding requirements by manufacturing efficient high-performance lubricants for more than 80 years.

**Klüber Lubrication München SE & Co. KG /
Geisenhausenerstraße 7 / 81379 München / Germany /
phone +49 89 7876-0 / fax +49 89 7876-333.**

The data in this document is based on our general experience and knowledge at the time of publication and is intended to give information of possible applications to a reader with technical experience. It constitutes neither an assurance of product properties nor does it release the user from the obligation of performing preliminary field tests with the product selected for a specific application. All data are guide values which depend on the lubricant's composition, the intended use and the application method. The technical values of lubricants change depending on the mechanical, dynamical, chemical and thermal loads, time and pressure. These changes may affect the function of a component. We recommend contacting us to discuss your specific application. If possible we will be pleased to provide a sample for testing on request. Klüber products are continually improved. Therefore, Klüber Lubrication reserves the right to change all the technical data in this document at any time without notice.

Publisher and Copyright: Klüber Lubrication München SE & Co. KG. Reprints, total or in part, are permitted only prior consultation with Klüber Lubrication München SE & Co. KG and if source is indicated and voucher copy is forwarded.